

Sur l'abîme

pour harpe et électronique

Pierre-Adrien CHARPY

durée : 11'

The musical score consists of five staves of music for Harpe and Hpe. (Electronic instrument). The score is divided into sections A, 11, 18, and 23.

Section A: The Harpe part features a sustained note on the first line of the treble clef staff. The Hpe. part has a sustained note on the first line of the bass clef staff. Dynamic markings include p and $\#o$. Text instructions: "sons entendus / audible sounds" above the Harpe staff; "en dehors / outside" below the Harpe staff; and a box containing "légère distortion / soft distortion", "flanger / flanger", "phaser / phaser", and "longue reverb / long reverb" below the Hpe. staff. Measure numbers 11, 18, and 23 are indicated at the beginning of their respective sections.

Section 11: The Harpe part has a sustained note on the first line of the treble clef staff. The Hpe. part has a sustained note on the first line of the bass clef staff. Measure number 11 is indicated at the beginning of the section.

Section 18: The Harpe part has a sustained note on the first line of the treble clef staff. The Hpe. part has a sustained note on the first line of the bass clef staff. Measure number 18 is indicated at the beginning of the section.

Section 23: The Harpe part has a sustained note on the first line of the treble clef staff. The Hpe. part has a sustained note on the first line of the bass clef staff. Measure number 23 is indicated at the beginning of the section.

Hpe.

27

gliss. de pédales /
pedal gliss.

27

Hpe.

35

cresc.

(2)

+ forte distortion /
+ strong distortion

fade in

35

Hpe.

43

f dim.

(3)

forte distortion /
strong distortion

fade out

mod. anneaux. /
ring mod.

fade in

43

Hpe.

50

p

mf

changement de pédales ad lib. /
change pedals ad lib.

(4)

delays /
delays

fade in

50

J=120

89

Hpe.

son naturel / natural sound

89

90

92

Hpe.

92

95

Hpe.

98

Hpe.

98

102

Hpe.

102

108

Hpe.

108

114

Hpe.

114

118

Hpe.

118

Hpe.

161 $\text{♩} = 120$

(17) (18)

Hpe.

169

(19)

Hpe.

176 C $\text{♩} = 60$

arraché / étouffé / simili
forceful damping
plucking

forte distortion / strong distortion

bande : sons industriels / sample : industrial sounds

L.V.

185 avec tournevis / with screwdriver

Hpe. {

L.V.

185

(21) delays / delays

g^{vib}

durée ≈ 40 secondes

198 *

Hpe. {

**

(g^{vib}) * avec les paumes sur la caisse / ** avec les phalanges sur la caisse /
with palms on soundboard with knuckles on soundboard

198

bris de verre / glass break

212 siffler dans
la caisse de
résonance /

Hpe. {

gliss. sur gliss. on
les chevilles tuning pins

avec tournevis / with screwdriver

gliss. avec gliss. with
tournevis / screwdriver

improviser en gliss. / whistle inside
improvise with gliss. the soundbox

212 (22) > tonnerre / thunder

bande : sons naturels /
sample : natural sounds -

g

(bande : sons industriels) /
(sample : industrial sounds)